EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	(encod\$3 encrypt\$3) near2 key with (half-tone (half near tone))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 16:59
S2	26	(encod\$3 encrypt\$3) near2 key with (half-tone (half near tone) dot)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 16:22
S3	12	(encod\$3 encrypt\$3) near2 key near4 print\$3 and 713/182.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 17:00
S4	7	((RAJESH) near2 (SHENOY)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/01 17:22
S5 ·	6	((CHARLES) near2 (UNTULIS)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/01 17:26
S7	709	(printer scanner facsmile) with (encod\$3 encrypt\$3) near3 key and (encod\$3 encrypt\$3) near3 key near4 (send\$3 sent transmit\$4 obtain\$4 receiv\$3 transfer\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 17:50
S8	67	(printer scanner facsmile) with (encod\$3 encrypt\$3) near3 key and (encod\$3 encrypt\$3) near3 key near4 (send\$3 sent transmit\$4 obtain\$4 receiv\$3 transfer\$4) and (encod\$3 encrypt\$3) near2 key with (half-tone (half near tone) dot (bar near code) bar-code pattern printed)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 20:50

EAST Search History

co	22	(nuintou gannou fa samila) with	LIC DCDLID	OB	ON	2007/04/01 10:17
S9	23	(printer scanner facsmile) with (encod\$3 encrypt\$3) near3 key and (encod\$3 encrypt\$3) near3 key near4 (send\$3 sent transmit\$4 obtain\$4 receiv\$3 transfer\$4) and (encod\$3 encrypt\$3) near2 key with (half-tone (half near tone) dot (bar near code) bar-code pattern printed) and (encod\$3 encrypt\$3) near2 key with (encrypt\$3 decrypt\$3) near3 (document)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 18:17
S10	18	(printer scanner facsmile) with (encod\$3 encrypt\$3) near3 key and (encod\$3 encrypt\$3) near3 key near4 (send\$3 sent transmit\$4 obtain\$4 receiv\$3 transfer\$4) and (encod\$3 encrypt\$3) near2 key with (half-tone (half near tone) dot (bar near code) bar-code pattern printed) and (encod\$3 encrypt\$3) near2 key with (encrypt\$3 decrypt\$3) near3 (document) and (generat\$3 comput\$3) near4 key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 18:42
S11		(printer scanner facsmile) with (encod\$3) near3 key and (encod\$3 encrypt\$3) near3 key near4 (send\$3 sent transmit\$4 obtain\$4 receiv\$3 transfer\$4) and (encod\$3) near2 key with (half-tone (half near tone) dot (bar near code) bar-code pattern printed) and (encod\$3) near2 key with (encrypt\$3 decrypt\$3) near3 (document) and (generat\$3 comput\$3) near4 key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 18:43
S12		(printer scanner facsmile) with (encod\$3) near3 key and (encod\$3 encrypt\$3) near3 key near4 (send\$3 sent transmit\$4 obtain\$4 receiv\$3 transfer\$4) and (encod\$3) near2 key with (half-tone (half near tone) dot (bar near code) bar-code pattern printed) and (encod\$3) near2 key with (encrypt\$3 decrypt\$3) near3 (document file data) and (generat\$3 comput\$3) near4 key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 23:22
S14	48	(encrypt\$3 decrypt\$3) near2 (document file data check image) near3 key and encod\$3 near3 key and (printer scanner facsmile) with (encrypt\$3) near3 (document file data check image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 19:41

EAST Search History

S18	40	(encod\$3) near2 key with (half-tone (half near tone) dot (bar near code) bar-code pattern printed) and (encod\$3) near2 key near4 (send\$3 sent transmit\$4 obtain\$4 receiv\$3 transfer\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 23:23
S19	13	encrypt\$3 same (encod\$3) near2 key with (half-tone (half near tone) dot (bar near code) bar-code pattern printed) and (encod\$3) near2 key near4 (send\$3 sent transmit\$4 obtain\$4 receiv\$3 transfer\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 23:23
S20	22	encrypt\$3 same (encod\$3) with (half-tone (half near tone) dot (bar near code) bar-code pattern printed) and (encod\$3) near2 key near4 (send\$3 sent transmit\$4 obtain\$4 receiv\$3 transfer\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 23:39
S21	26	S18 not S20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/01 23:39

Sign in

Google

 Web
 Images
 Video
 News
 Maps
 more »

 encoding key and scan facsmile
 Search
 Advanced Search Preferences

The "AND" operator is unnecessary -- we include all search terms by default. [details]

Web

Results 1 - 2 of 2 for encoding key and scan facsmile. (0.22 seconds)

Did you mean: encoding key and scan facsimile

Token-based error diffusion for high quality halftoning with good ...

A Huffman code is used to efficiently **encode** the tokens with minimal complexity. ... ISO CCITT Recommendation T.4, "Standardization of group 3 **facsmile** ... link.aip.org/link/?JEIME5/13/303/1

[PDF] The Wang Professional Image Computer: New Dimension to Personal ... File Format: PDF/Adobe Acrobat set to scan any document that contains text or typing, and ... reducing codes for facsmile transmission of documents," /€E€. Trans. Commun., vol. ... ieeexplore.ieee.org/iel5/5/31335/01457129.pdf

Did you mean to search for: encoding key and scan facsimile

Try Google Desktop: search your computer as easily as you search the web.

encoding key and scan facsmile Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Try your query on the entire web

Google Home - Advertising Programs - Business Solutions - About Google

©2007 Google